Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	216	candidate adj path	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 11:01
S2	5	(identif\$3 generat\$3) near15 (network candidate) adj (route path).ab. and (bandwidth jitter)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/01 14:04
S3	176	((maximum minimum) same bandwidth same delay same jitter)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 16:55
S10	4	"6449650"	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 15:39
S11	57	"5159595"	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 12:55
S12	56	"4736363"	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 12:55
S13	19	S3 and router same configur\$3	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 13:02
S14	21	S3 and router\$1 same configur\$3	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 14:02
S15	12	S3 and stor\$3 near10 (configuration parameter)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 14:05
S16	97	qos and stor\$3 near10 (configuration parameter) and (remov\$3) near10 (configuration parameter)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 14:56
S19	50	security near5 gateway near15 (block\$3 bracket\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 14:57
S20	20	S19 and (bandwidth jitter reliablity reachability delay)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 14:58
S21	439	security near5 gateway and (bandwidth jitter reliablity reachability delay)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 14:59
S22	17	security near5 gateway and (bandwidth same jitter same reliablity same delay reachability)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 15:07
S23 _	33	(remov\$3 undoing\$3) near10 (prior previous) near10 (configuration\$1 parameter\$1) same (path\$3 rout\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 15:08

S24	116	graph same link same weight	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 15:39
S25	40	graph same link same weight and bandwidth\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 16:27
S26	3	"6377551" and weight	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 16:00
S27	51	graph and link same weight same bandwidth\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 16:43
S29	51	S27 not S26	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 16:28
S30	4	graph and link same weight same usage same bandwidth\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 16:44
S31	5	graph and link same weight same usage and bandwidth	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 16:44
S32	26	((maximum minimum) same bandwidth same delay same jitter) and stor\$3 near15 (configuration parameter\$1 contrain\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 16:58
S33	309	qos and stor\$3 near15 (parameter\$1 configuration\$1 constraint\$1) and (reset\$4 remov\$3 undo\$5) near15 (parameter\$1 configuration\$1 constraint\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 17:00
S34	279	qos and rout\$3 and stor\$3 near15 (parameter\$1 configuration\$1 constraint\$1) and (reset\$4 remov\$3 undo\$5) near15 (parameter\$1 configuration\$1 constraint\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 17:00
S35	173	(identif\$4 determin\$3 establish\$3) near15 (path route) and qos and rout\$3 and stor\$3 near15 (parameter\$1 configuration\$1 constraint\$1) and (reset\$4 remov\$3 undo\$5) near15 (parameter\$1 configuration\$1 constraint\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/25 17:11
S36	163	(identif\$4 determin\$3 establish\$3) near15 (path route) and qos and rout\$3 and stor\$3 near15 (parameter\$1 configuration\$1 constraint\$1) and (reset\$4 remov\$3 undo\$5) near15 (parameter\$1 configuration\$1 constraint\$1) and bandwidth\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/26 10:22

,,						
S37	14	(identif\$3) near15 (updat\$3 chang\$3) near15 (rout\$3) adj table	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/26 10:23
S38	22	router\$3 and (updat\$3 chang\$3) near15 (rout\$3 log) adj table same affect\$3	US-PGPUB; USPAT; EPO	OR .	OFF	2005/01/26 10:50
S44	229	weight\$1 and graph\$1 and usag\$3 same bandwidth\$1 and network\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/26 11:05
S45	14	weight\$1 and graph\$1 and weight\$1 same usag\$3 same bandwidth\$1 and network\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/26 11:23
S46	14	weight\$1 and graph\$1 and weight\$1 same usag\$3 same bandwidth\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/26 11:24
S47	83	weight\$1 and graph\$1 and weight\$1 same(traffic usag\$3) same bandwidth\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/26 11:33
S49	2	weight\$1 and graph\$1 and weight\$1 same (less lighter) same (heavier more) same (traffic usag\$3) same bandwidth\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/26 11:34
S50	83	graph\$1 and weight\$1 same (traffic usag\$3) same bandwidth\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/26 13:54
S51	390	graph\$1 and weight\$1 same (traffic usag\$3) and bandwidth\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/26 13:54
S52	81	graph\$1 and weight\$1 same (traffic usag\$3) same link\$1 and bandwidth\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/26 14:55
S53	393	bandwidth\$3 same weight\$1 same link\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/26 14:56
S54	106	bandwidth\$3 same weight\$1 same link\$1 and graph\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/26 16:16
S55	1	"20030007486"	US-PGPUB; USPAT; EPO	OR	OFF	2005/01/26 16:16
S57	74	(security encryption) and reachability and reliability	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/01 14:10
S58	8	(security encryption) and reachability and reliability and maximum near10 bandwidth	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/01 14:33
S59	. 51	(security encryption) and reachability and reliability and bandwidth	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/01 14:33

		<u></u> .	_			
S60	25	(encryption) and reachability and reliability and bandwidth	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/01 14:38
S61	. 4	(encryption) and reachability and reliability and maximum same bandwidth	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/01 14:59
S64	8	authentication and reachability and reliability and maximum same bandwidth	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/01 14:59
S65	86	(qos "quality of service") same rout\$3. ab. and ((maximum minimum) near5 bandwidth maximum adj delay maximum adj jitter reliability reachability)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/01 15:23
S66	50	(maximum same minimum same delay same jitter same bandwidth)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/01 15:23
S67	19	(maximum same minimum same delay same jitter same bandwidth) and (reliability reachability encryption security)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/01 15:28
S68	31	S66 not S67	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/01 15:31
S69	232	(qos "quality of service") same rout\$3. ab.	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/01 15:32
S70	105	(qos "quality of service") same rout\$3. ab. and (qos "quality of service") near10 (parameter\$1 constraint\$1 configuration)	US-PGPUB; USPAT; EPO	OR	OFF `	2005/02/02 07:30
S71	65	(qos "quality of service") same rout\$3. ab. and (qos "quality of service") near10 (parameter\$1 constraint\$1 configuration) same (router\$1 node\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 07:30
S73	53	(qos "quality of service") same rout\$3. ab. and (qos "quality of service") near10 (parameter\$1 constraint\$1 configuration) same (router\$1 node\$1) and (stor\$3 record\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 07:51
S74	29	(qos "quality of service") same rout\$3. ab. and (qos "quality of service") near10 (parameter\$1 constraint\$1 configuration) same (router\$1 node\$1) and (channel\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 07:51

S75	29	(qos "quality of service") same rout\$3. ab. and (qos "quality of service") near10 (parameter\$1 constraint\$1 configuration) same (router\$1 node\$1) and (channel\$1) and (stor\$3 record\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 07:55
S77	14	(qos "quality of service") same rout\$3. ab. and (qos "quality of service") near10 (parameter\$1 constraint\$1 configuration) same (router\$1 node\$1) and (channel\$1) and (stor\$3 record\$3) and (undo\$4 remov\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 08:06
S78	10	(qos "quality of service") same rout\$3 and (qos "quality of service") near10 (parameter\$1 constraint\$1 configuration) same (router\$1 node\$1) and (channel\$1) and (stor\$3 record\$3) and (undo\$4 remov\$3) near10 (parameter\$1 constraint\$1 configuration\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 08:07
S79	10	S78 not S77	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 08:08
S80	1095	(qos "qualitive of service").ab.	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 08:09
S81	166	S80 and (channel\$1 same path\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 11:08
S83	1	S80 and (channel\$1 same path\$1) and (purg\$3 undo\$4) same (record\$1 configuration\$1 log\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 08:10
S84	32	S80 and (purg\$3 remov\$3 undo\$4) same (record\$1 configuration\$1 log\$1)	US-PGPUB; USPAT; EPO	OR ·	OFF	2005/02/02 08:24
S85	28	S84 not S79 not S77	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 08:11
S86	462	rout\$3 same network\$1.ab. and (remov\$3 undo\$4 delet\$3) near10 (record\$1 configuration\$1 log\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 08:25
S87	283	rout\$3 same network\$1.ab. and (remov\$3 undo\$4 delet\$3) near10 (record\$1 configuration\$1 log\$5) same (channel\$1 path\$1 rout\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 08:26
S88	150	rout\$3 same network\$1.ab. and (remov\$3 undo\$4 delet\$3) near10 (record\$1 configuration\$1 log\$5) near15 (path\$1 channel\$1 rout\$3)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 08:27

S89	53	rout\$3 same network\$1.ab. and (remov\$3 undo\$4 delet\$3) near10 (record\$1 configuration\$1 log\$5) near15 (path\$1 channel\$1 rout\$3) and atm	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 10:32
S91	10	reachability same reliability	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 10:33
S92	153	reachability and reliability	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 10:33
S95	27	reachability and reliability and qos and atm	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 15:53
S96	3566	rout\$3.ab. and (channel\$1 same path\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 11:09
S97	43	qos same rout\$3.ab. and (channel\$1 same path\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 11:18
S98	6792	plurality near5 channel\$1 same path\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 11:19
S99	102	plurality near5 channel\$1 same path\$1 and qos	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 11:32
S10 0	146	qos and plurality near10 request\$1 same (channel path)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 11:32
S10 1	167	qos and plurality near10 request\$1 same (channel\$1 path\$1)	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 11:33
S10 3	117	link\$1 near15 weight same prefer\$5	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 15:55
S10 4	46	(path link rout\$3).ab. and link\$1 near15 weight same prefer\$5	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 15:59
S10 5	2	(path link rout\$3).ab. and link\$1 near15 weight near10 (area part region) near10 network\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 16:02
S10 6	2	link\$1 near15 weight near10 (area part region) near10 network\$1	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/02 16:07
S10 7	239	link\$1 near15 weight near10 network\$1	US-PGPUB; USPAT; EPO	OR ·	OFF	2005/02/03 08:22

S11 0	127	encryption and reachability	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/03 08:37
S11 1	2	encryption same reachability	US-PGPUB; USPAT; EPO	OR	OFF	2005/02/03 13:33
S11 2	42	encryption and reachability and reliability	US-PGPUB; USPAT; EPO	OR	OFF .	2005/02/03 08:37